Briggsville Water District 111River Road Clarksburg, MA 01247 Clebe W Scott 413-663-3985

2024 DRINKING WATER QUALITY

REPORT*


CONSUMER CONFIDENCE REPORT YOUR DRINKING WATER SOURCE

The Briggsville Water Districts water comes from an underground spring located on the east side of Massachusetts Route 8 approximately 1/5 mile north of the center of Clarksburg. The spring flows into a 3,000-gallon concrete cistern located at the source. From the source the water flows through approximately one mile of 6" underground pipe supplying 60 residences, one industry, one municipal building (Town Hall) and one commercial facility (R.I. Baker Inc.).

Our system meets all water quality standards set forth by the United States Environmental Protection Agency and The Massachusetts Department of Environmental Protection.

Staff continues to participate in training programs sponsored by The Massachusetts Department of Environmental Protection. Our system's latest Comprehensive Compliance Evaluation was conducted by the Department of Environmental Protection on October 19, 2022 and evaluated the adequacy of our water source facilities, equipment, operation and maintenance for the supply and distribution of safe drinking water. As a result of the inspection and discussion DEP has again recommended.

- That we consider a rate increase. The current rates do not appear to have the capability to make significant upgrades as they are needed.
- 2. We develop a capital improvement plan for the system. Increase storage capacity.
- 3. We continue to investigate opportunities for the water district to expand control and protection of the land surrounding the Red Mills Spring. Complete inspection results are available.



SUBSTANCES FOUND IN TAP WATER

Sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring mineral, and in some cases, radioactive material. It can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

Microbial contaminants -such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

<u>Inorganic contaminants</u> -such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming.

<u>Pesticides and herbicides</u> -which may come from a variety of sources such as agricultural, urban stormwater runoff, and residential uses.

* You may refer to this report as an annual water quality report or a consumer confidence report.

Organic chemical contaminants—including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.

<u>Radioactive contaminants</u> -which can be naturally occurring or be the result of oil and gas production and mining activities.

Please continue to conserve water and eliminate any excessive use. Please contact the Clarksburg Volunteer Fire Company and they will be glad to fill your pool for a reasonable donation.

There will be a meeting in June for the Briggsville Water District. Notice of the meeting will be posted at the Clarksburg Town Hall and on the town website. All consumers will be notified and are urged to attend.

In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency (EPA) prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water that must provide the same protection for public health. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA Safe Drinking Water Hotline at 800-426-4791.

The date presented in this report is based on tests primarily conducted in the 2023-204 calendar year. Although only contaminants that tested positive are represented in this chart, numerous other laboratory analyses were completed.

NOTE

Source Wate Protection—The Massachusetts Department of Environmental Protection has completed a source water assessment for the Briggsville Wate District. This report identifies land uses within water supply protection areas that may be potential sources of contamination. A copy of this report can be made available by contacting the Briggsville Water District.

Regarding Lead

** If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water primarily from materials and components associated with service lines and home plumbing. The Briggsville Water District is responsible for providing high quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, testing methods, and steps you can take to minimize exposure is available from Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

IMPORTANT DEFINITIONS

Maximum Contaminant Level (MCL) – the highest level of a contaminant that is allowed in drinking water. Minimal Detectable Level (MDL)

Maximum Contaminant Level Goal (MCLG) – the level of a contaminant in drinking water below which there is no known or expected risk to health.

Treatment Technique (TT)- A required process intended to reduce the level of a contaminant in drinking water.

Action Level (AL)- The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Variances and Exemptions- State or EPA permission not to meet an MCL or a treatment technique under certain conditions.

Parts per million (ppm) Parts per billion (ppb) Milligrams per liter (mg/L)

| | | • | • | • | | • | * / |
|-------------------|------------|--|---|--------------|------------------|-----------|---|
| CONTAMINANT | HIGHEST | RANGE | AVERAGE | MCL | MCLG . | VIOLATION | POSSIBLE |
| , | DETECT | DETECTED | DETECT | | | (Y/N) | SOURCE |
| | VALUE | , | | | | | OF |
| · ' | , | | | | | · | CONTAMINATION |
| TTRATE 7/10/24 | 0.204 | | ********* | 10.0mg/L | 10.0mg/L | N | Runoff from |
| | | İ , | | , | • | | fertilizer |
| | | | 200500000000000000000000000000000000000 | 2.0mg/L | 2.0mg/L | N · | Erosion of natural |
| SARTUM | 0.0068mg/L | | 2000000000 | 2.omg/L | 20mg/L | N | deposits |
| MUIGO | 3.84mg/L | ١, | | ZOMIBAT | SOURP | 24, | dopouzeo , |
| /12/23 | | ļ | 0.407 | - A | 6.0° | N | Vinyl lined |
| ETRACHLOROETHYLEN | |] | 0.425 | 5.0 | D.U | 14 | asbestos |
| /10/24 | 0,85 | 0.00 | | | ' | | cement pipe |
| 0/10/24 | | 0.85 | <u> </u> | | 0.0 | N | Explosives and |
| PERCHLORATE | 0.0.47 | Mannimum | | 2.0mg/L | 2.0mg/L | 1/1 | Propellants : |
| | 1 | , , | • | | | | Propenants |
| | 0.50 - 610 | минирания | | 16 | | N | Erosion of natural |
| FROSS ALPHA | 2,50 pCi/l | MANAGEREE | | picocuries | | " ' | deposits |
| | | | | per liter | | | |
| • | | | × . | | · . | | , |
| | | <u> </u> | | (pCi/l) 5 | | N | Natural occurrence |
| RADIUM | <.410 | and the second s | | - | | , | 114444444444444444444444444444444444444 |
| 3/14/24 | | , | | picocuries | | l . | |
| | | | | Per liter | | | |
| • | | <u> </u> | | (pCi/l) | 90 TH | # SITES | ************************************** |
| CONTAMINANT | UNIT | ACTION | MCLG | # SITES | 1 | ABOVE | |
| | | LEVEL | } | · · | PERCENTILE | | |
| | | 1 ' | | 1. | , | ACTION | ' |
| | | | | | | LEVEL | 1 77 1 . 1 . 1 |
| LEAD | mg/L | 0.015mg/L | 0 | 5 | 0,00092 | 0 | Household |
| 7/14/24 | | | · . | | | ļ | plumbing and |
| // ~ · · · | 1 | ļ | | | | | service |
| | | | <u> </u> | | | <u> </u> | conditions |
| COPPER | mg/L | 1.3mg/L | . 1.3mg/L | 5 | 0.047 | 0 | Natural |
| 7/14/24 | | | 1 | 1 | ' | 1 . | occurrence |
| //14/A4 | <u></u> | | <u> </u> | | 1 | <u></u> | |
| | | | 1 | | | | • |
| | • | | | | | | |
| • | | | | , | • | • | |
| • | • | | | τ, | | | • |
| • | | | | • | | | |
| ٠ . | | | • | | | | • |
| | | | | | | | |
| | | | | × | i | | |
| | | • | | | | 1 | |
| • | • | | | | | | |
| | • | | | | | | • |
| • . | | | | | | | |
| | | | | | | | |

BRIGGSVILLE WATER DISTRICT CROSS-CONNECTION CONTROL AND BACKFLOW PREVENTION

The Briggsville Water District makes every effort to ensure that the water delivered to you have and business i clean, safe and free of contemination. Our staff works very hard to protect the quality of the water delivered to our customers from the time the water is extracted via deep wells from underground aquifers or withdrawal point from a surface water source, throughout the entire treatment and distribution system. But what happens whe the water reaches your home or business? Is there still a need to protect the water quality from contamination caused by a cross-connection? If so, how?


What is a cross-connection?

A cross-connection occurs whenever the drinking water supply is or could be in contact with potential sources o pollution or contamination. Cross-connections exist in piping arrangements or equipments that allowed the drinkin water to come in contact with non-potable liquids, solids or gases (hazardous to humans) in event of a backflow.

What is a backflow?


Backflow is the undesired reverse of the water flow in the drinking water distribution lines. This backward flow or water can occur when the pressure created by an equipment or system such as a boiler or air-conditioning is higher than the water pressure inside the water distribution line (backpressure), or when the pressure in the distribution line drops due to routine accurrences such as water main breaks or heavy water demand causing the water to flow backward inside the water distribution system (backsiphonage). Backflow is a problem that many water consumers are unaware of, a problem that each and every water customer has a responsibility to help prevent.

Back Pressure:



l'aigh pressure in non-pouble system.

Back Siphonage:



you hotale system.

What can I do to help prevent a cross-connection?

Without the proper protection something as simple as a garden hase has the potential to contaminate or pollute the drinking water lines in your house. In fact over half of the country's cross-connection incidents involve unprotected garden hoses. There are very simple steps that you as a drinking water user can take to prevent such hazards, they are:

- NEVER submerge a hose in soapy water buckets, pet watering containers, pool, tubs, sinks, drains or chemicals.
- NEVER attached a hose to a garden sprayer without the proper backflow proventer.
- Buy and install a hose bibb vacuum breaker in any threaded water fixture. The installation can be as easy
 as attaching a garden hose to a spigot. This inexpensive device is available at most hardware stores and
 home-improvement centers.
- Identify and be aware of patential cross-connections to your water line.
- Buy appliances and equipment with a backflow preventer
- Buy and install backflow prevention devices or assemblies for all high and moderate hazard connections.

If you are the owner or manager of a property that is being used as a commercial, industrial or institutional facility you must have your property's plumbing system surveyed for cross-connection by your water purveyor. If your property has NOT been surveyed for cross-connection contact your water department to schedule a cross-connection survey.

The Massachusetts Orinking Water Regulations, 310 CMR 22.00, requires all public water systems to have an approved and fully implemented Cross-connection Control Program (CCCP). The [PWS Name] is working diligently to protect the public health of its drinking water customers from the hazardous caused by unprotected cross-connections through the implementation of its cross-connection survey program, elimination or properly protection of all identified cross-connections, the registration of all cross-connections protected by a reduced pressure backflow preventers (RPBPs) or a double check valve assemblies (DCVAs), and the implementation of a testing program for all RPBPs and DCVAs.

The following chart shows how the Briggsville Water District's CCCP is being implemented:

Cross-connection Surveys Information:

| Type of Facilities | Total # Facilities Served | # Facilities Surveyed for Cross-connection | # Facilities Remaining to be Surveyed for Cross-connection | # Facilities Surveyed for the First Time in [year] | of Facilities Re-surveyed in [year] |
|-----------------------|---------------------------------|--|--|--|-------------------------------------|
| Commercial | Z. | 2 | 0". | 1998 | No Change |
| Industrial | 1 | 1 | Q | 1998 | No Change . |
| Institutional | Ö | 0 | Q. | 1998 | No Change |
| Municipal | 1 | . 1 | · O | 1998 | No Change |

Backflow Prevention Devices and Assemblies Testing Information:

| Type of Backflow Preventer | # Devices or Assemblies | Test Frequency | Total # of Routine Test | # TESTION | # Re-test |
|----------------------------|----------------------------|-------------------|---|--|-----------|
| RPBP | O . | Semi-annual* | Ö | <u> </u> | fam O |
| DGVA | Ō | Annual* | 0 | 0 . | 0 |
| PVB (if applicable) | | Annual ** | المراد مع من المراد و | The state of the s | |


* Required frequency

** Recommended

If you have any questions, please contact

Mr. Clebe Scott at (413)663-3985

Some Examples Where Cross-connections Occur



.